

# Community response to noise

Takashi Yano, Truls Gjestland<sup>1</sup>, Soogab Lee<sup>2</sup>

Department of Architecture, Graduate School of Science and Technology, Kumamoto University, Kurokami 2-39-1, Chuo-Ku, Kumamoto 860-8555, Japan, <sup>1</sup>Department of Acoustics SINTEF IKT, Strindvegen 4, Trondheim, Norway, <sup>2</sup>Director, Center for Environmental Noise and Vibration, Department of Mechanical and Aerospace Engineering, Seoul National University, Seoul, Korea

## Abstract

Activities from 2008 to 2011 by IC BEN community response to noise team were summarized. That is, individual community-based indexes such as community tolerance Level, Zurich Fluglarm Index (ZFI) and Frankfurter Fluglarm Index (FFI/FNI) were newly proposed, differences in railway bonus between Europe and Asia were discussed by a Swedish survey, socio-acoustic surveys were reported from developing countries, and annoyance equivalents and dominant source models were proposed as the adequate combined noise model. Furthermore, not only negative, but also positive aspects of sound were discussed as soundscape studies. Finally, seven items were listed as future team activities.

**Keywords:** Annoyance, combined noise model, dose-response relationships, railway bonus, soundscape

## Introduction

The “community response team” deals with more non-specific reactions to noise than most of the other noise teams. The outcome of studies conducted by members of this team is a subjective evaluation of the general noise situation. A number of specific elements from other teams, e.g., “sleep disturbance”, together with non-specific parameters like “disturbance” are subjectively combined in a single outcome, i.e., annoyance, by the respondent, and the mean response from a group of residents is reported as the “community response”. Studies of “community response” have been, and are being conducted, and attempts have been made to develop a universal dose-response function. Examples are ISO1996,<sup>[1]</sup> Federal Interagency Committee on Noise,<sup>[2]</sup> ANSI 12.9,<sup>[3]</sup> European Union (EU) Noise Directive,<sup>[4]</sup> etc. There is, however, an enormous spread in the data from different surveys. The community response team has, therefore, tried to facilitate inter-study comparisons by promoting guidelines for conducting and reporting social surveys on noise annoyance. Such guidelines have been distributed to journals and to conferences where these studies are reported.<sup>[5-7]</sup> The simplified tables of the guidelines for reporting core information of social surveys are uploaded at IC BEN website (<http://www.icben.org>).

## Recent Research on Community Response to Noise

### Dose-response relationships

Establishing dose-response relationships for various noise sources has been the main theme of noise-effect research. The pioneer work was Schultz’s synthesized curve.<sup>[8]</sup> Schultz concluded that all transportation sources could be treated in the same way. Later, this curve has been revised several times.<sup>[9,10]</sup> Miedema and Vos<sup>[11]</sup> proposed separate dose-response curves for aircraft, road traffic, and railway noises and showed that aircraft noise was more annoying than road traffic noise (aircraft penalty) and railway noise was less annoying than road traffic (railway bonus). This finding was reflected in an EU position paper which directed noise policies of EU countries. However, some doubt has been thrown on railway bonus by Lim *et al.*<sup>[12]</sup> and Yano *et al.*<sup>[13]</sup> New studies on very different types of railways (long diesel freight trains, high speed passenger trains, etc.) show a large spread in the so-called “bonus”. ISO 1996 recommends a bonus of 3-6 dB for conventional electric trains, but no bonus for long diesel trains and very high-speed trains. Furthermore, for aircraft noise, it was found that annoyance in recent years appears to be higher than that predicted by dose-response relationships (Babisch *et al.*<sup>[14]</sup> and Janssen *et al.*<sup>[15]</sup>).

Though dose-response relationships have so far mainly focused on noise exposure and % highly annoyed, new approaches were proposed by Gjestland *et al.*<sup>[16,17]</sup> Brink *et al.*<sup>[18]</sup> and Botteldooren *et al.*<sup>[19]</sup> at the IC BEN Congress. Gjestland *et al.* assumed that the annoyance function closely resembles the loudness function and that differences between different surveys could be accounted for by a single

Access this article online	
Quick Response Code:	Website: <a href="http://www.noiseandhealth.org">www.noiseandhealth.org</a>
	DOI: 10.4103/1463-1741.104898

decibel-like parameter named the “community tolerance level.” Brink *et al.* reported attempts to develop aircraft noise indices with better granularity and which better reflect the real noise impact. The new indices take into account the number of awakenings and the number of residents that are highly annoyed separately at the Frankfurt Airport and in combination at the Zurich Airport. This is policy-oriented and the outcomes were adopted by the local authorities. Botteldooren *et al.* presented a biologically inspired model based on perception and known psycho-acoustical and physiological effects against simple dose–response models. In order to understand the essence of annoyance, such studies are encouraged.

### Cultural comparison and social surveys in developing countries

Noise is not only a local problem but also a global issue. Difference in railway noise is a good example. Though the railway noise has been frequently reported in EU countries, recent Asian studies have not supported it. A challenge to find the cause for the gap was conducted by Gidlof-Gunnarsson *et al.*<sup>[20]</sup> They indicated the possibility of non-dose parameters that are important for the annoyance response. The response to railway noise was significantly influenced by the number of trains. At equal Equivalent Continuous A-weighted Sound Pressure Level (LAeq), the annoyance increased with increasing number of trains and at very high numbers (481 trains/day), the annoyance exceeded that produced by road traffic at the same level. Though this may partially explain the gap in railway noise between Europe and Asia, it may be difficult to fully explain the gap because railway noise was not found at low numbers in a Japanese survey. Why the railway noise is not found in Asia but in Europe is not only academically interesting, but also practically useful for the realistic countermeasures for railway noise. Another cultural issue are the social surveys in developing countries. Socio-acoustic survey data have so far been accumulated in developed countries. However, few surveys have been carried out in developing countries. Considering the serious noise situations there, the data should be accumulated for the establishment of their own noise policies. Phan *et al.*<sup>[21]</sup> conducted road traffic noise surveys in Vietnam and indicated that the dose–response curve was a little lower than the function established by Miedema and Vos and adopted by European Union. The road traffic in Vietnam is characterized by a huge number of motor bikes that people usually use in their daily life. An aircraft noise study by Nguyen *et al.*<sup>[22]</sup> in Hanoi and Ho Chi Minh City indicates that the average dose–response function for these cities is 2–3 dB above Miedema and Vos’s curve. Nogueira *et al.*<sup>[23]</sup> presented a social survey around Rio de Janeiro Airport. These findings suggest that dose–response curves depend on the culture and its social conditions. Thus more data should be accumulated for establishing noise policies of developing countries.

### Combined noise models

In urban areas of large cities, the acoustic environment is usually very complicated because of noise exposures from multiple sources. In such situations, dose–response curves for individual noise sources may not be enough to evaluate noise effects. Thus, many combined noise models have been proposed and their superiority has been discussed. For example, Taylor<sup>[24]</sup> showed by analyzing data from social survey around Toronto International Airport that energy difference model was the best among five combined noise models. However, this model does not fit to the situation that dose–response relationship is established for every noise source.<sup>[11]</sup> Hong *et al.*<sup>[25]</sup> and Marquis-Favre *et al.*<sup>[26]</sup> reported the studies of total annoyance of multiple traffic sounds and industrial noise combined with ambient noise in laboratory settings respectively. Both studies showed the usefulness of Vos’s model<sup>[27]</sup> and Miedema’s annoyance equivalents model<sup>[28]</sup> that first translates noise from individual sources into the equally annoying sound level of a reference source and then sums these levels. This model harmonizes the individual dose–response curves. Huy *et al.*<sup>[29]</sup> compared the power of seven combined noise models including annoyance equivalents model through aircraft noise surveys in Hanoi and Ho Chi Minh City and concluded that dominant source was the best predictor of total annoyance when road traffic noise was dominant. The validity of annoyance equivalents model should be investigated in real-life conditions and a practical combined noise model should be proposed.

### Soundscape

Several papers in the soundscape area were presented. At the previous conference in the US, the community response Team wanted to promote such studies, and this comment was repeated at this year’s “Team meeting”. Elements from soundscape studies may be used to explain the large variations in the annoyance response from different surveys, and the soundscape approach may be used to provide an improvement of the acoustic qualities of a community without necessarily reducing the actual noise levels. So far, however, most soundscape studies seem to be mostly “observations” and their value as input to a process of synthesizing new areas or mitigating old ones are rather limited. However, practical studies have been reported. As for the effects of quiet façade on annoyance, Ohrstrom *et al.*<sup>[30]</sup> and Gidlof-Gunnarsson and Ohrstrom<sup>[31]</sup> showed that the quiet side and nearby green areas may also modify the annoyance response. de Kluizenaar *et al.*<sup>[32]</sup> also indicated the benefit from quiet façade to dwellings. Regarding pleasant acoustic environments, Yang *et al.*<sup>[33]</sup> showed by a large-scale questionnaire survey that a pleasant sound can considerably improve the acoustic comfort. Jeon *et al.*<sup>[34]</sup> also indicated by laboratory experiments and field surveys through soundwalkings that water sound enhanced the urban soundscape. Lee *et al.*<sup>[35]</sup> presented that water sounds improved the soundscape perception and Curcuruto *et al.*<sup>[36]</sup>

reported that the LAeq was not sufficient to describe the quality of sound environment but parameters of psychoacoustics, time fluctuation, and frequency should be considered. A large-scale soundscape project, European Cooperation in Science and Technology (COST), is now being conducted in Europe. The outcomes from the COST project are expected to be presented at a future ICBEN Congress. There is also an ISO working group on soundscapes.

### Other important issues

Wind turbine generators are now highlighted because of green and clean energy. However, they emit much low frequency noise and affect people's well being. Pedersen *et al.*<sup>[37]</sup> and Janssen *et al.*<sup>[38]</sup> presented the dose-response relationships based on a survey in The Netherlands and showed that wind turbine noise was more annoying than transportation noise or industrial noise at comparable levels. Since there are many plans to construct wind farms throughout the world, more data should be accumulated for the policy and the countermeasures of wind turbine noise. The technology of noise mitigation has been developed and many large projects followed by more or less noise emission are planned such as new airports, railway lines, power plants, and so on. The effects of longitudinal and step changes in noise exposure on community response are requisite for the future noise policies. The longitudinal effects of aircraft noise were investigated by Babisch *et al.*<sup>[14]</sup> and Janssen *et al.*<sup>[15]</sup> Brown and van Kamp<sup>[39]</sup> quantitatively reviewed response to step changes in transport noise exposure. At the congress, Laszlo and Hansell<sup>[40]</sup> reviewed the evidence on human reactions to changes in environmental noise exposures in order to present alternative reaction measures other than annoyance.

### Future Activities

A meeting of team members recommended that the following issues should be addressed in the next 3-year period:

1. Positive aspects of environmental sounds
2. Development of supplementary indicators for noise annoyance
3. A better understanding of the annoyance response to explain large survey differences
4. Evaluation of occupational noise (other than hearing loss and physiological reactions)
5. Connection between community response to noise and noise policies
6. Community response to noise in developing countries
7. Cross-cultural studies

### Address for correspondence:

Dr. Takashi Yano,  
Kurokami 2-39-1, Chuo-Ku, Kumamoto 860-8555, Japan.  
E-mail: [yano@gpo.kumamoto-u.ac.jp](mailto:yano@gpo.kumamoto-u.ac.jp)

### References

1. ISO 1996-1:2003. Acoustics – Description, measurement and assessment of environmental noise – Part 1: Basic quantities and assessment procedures.
2. Federal Interagency Committee on Noise (FICON). Federal Agency Review of Selected Airport Noise Analysis Issues. Washington DC: Report for the Department of Defense; 1992.
3. ANSI S12.9-2008. Quantities and procedures for description and measurement of environmental sound. 2008.
4. European Commission. Position paper on dose-response relationships between transportation noise and annoyance. 2002.
5. Fields JM, de Jong RG, Brown AL, Flindell IH, Gjestland T, Job RS, *et al.* Guidelines for reporting core information from community noise reaction surveys. *J Sound Vib* 1997;206:685-95.
6. Fields JM, de Jong RG, Gjestland T, Flindell IH, Job RS, Kurra S, *et al.* Schumer, Standardized general-purpose noise reaction questions for community noise surveys: Research and a recommendation. *J Sound Vib* 2001;242:641-79.
7. ISO/TS 15666. Acoustics – assessment of noise annoyance by means of social and socio-acoustic surveys. 2003.
8. Schultz TJ. Synthesis of social surveys on noise annoyance. *J Acoust Soc Am* 1978;64:377-405.
9. Fidell S, Schultz TJ, Green DM. A theoretical interpretation of the prevalence rate of noise-induced annoyance in residential population. *J Acoust Soc Am* 1988;84:2109-13.
10. Fidell S, Barber DS, Schultz TJ. Updating a dosage-effect relationship for the prevalence of annoyance due to general transportation noise. *J Acoust Soc Am* 1991;89:221-33.
11. Miedema HME, Vos H. Exposure-response relationships for transportation noise. *J Acoust Soc Am* 1998;104:3432-45.
12. Lim C, Kim J, Hong J, Lee S. The relationship between railway noise and community annoyance in Korea. *J Acoust Soc Am* 2006;120:2037-42.
13. Yano T, Sato T, Morihara T. Dose-response relationships for road traffic, railway and aircraft noises in Kyushu and Hokkaido, Japan. Proceedings of Internoise 2007, CD-ROM. 2007.
14. Babisch W, Houthuijs D, Pershagen G, Cadum E, Katsouyanni K, Velonakis M, *et al.* Annoyance due to aircraft noise has increased over the years—results of the HYENA study. *Environ Int* 2009;35:1169-76.
15. Janssen SA, Vos H, van Kempen EE, Bruegelmans OR, Miedema HM. Trends in aircraft noise annoyance: The role of study and sample characteristics. *J Acoust Soc Am* 2011;129:1953-62.
16. Gjestland T, Fidell S. Community response to noise – A theory based model for exposure-response relationships. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 673-9. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
17. Fidell S, Mestre V, Schomer P, Berry B, Gjestland T, Vallet M, *et al.* A first-principles model for estimating the prevalence of annoyance with aircraft noise exposure. *J Acoust Soc Am* 2011;130:791-806.
18. Brink M, Schaeffer B, Schreckenber G, Basner M. Aircraft noise indexes – recent developments and current applications. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 703-10. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
19. Botteldooren D, de Coensel B, Oldoni D, Boes M, Lercher P. Biologically inspired modeling of environmental perception. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 680-5. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
20. Gidlof-Gunnarsson A, Ohrstrom E, Ogren M, Jerson T. Comparative studies on railway and road traffic noise annoyances and the importance of number of trains. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 686-94. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
21. Phan HY, Yano T, Phan HA, Nishimura T, Sato T, Hashimoto Y. Community response to road traffic noise in Hanoi and Ho Chi Minh City. *Appl Acoust* 2012;71:107-14.

22. Nguyen TL, Yano T, Nguyen HQ, Nishimura T, Fukushima H, Sato T, *et al.* Community response to aircraft noise in Ho Chi Minh City and Hanoi. *Appl Acoust* 2011;72:814-22.
23. Nogueira RC, Mansur WJ, Sattler MA. Social survey about noise perception on Santos Dumont Airport neighbourhoods in Rio de Janeiro, Brazil – data collection and analysis method. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 838-44. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
24. Taylor SM. A comparison of models to predict annoyance reactions to noise from mixed sources. *J Sound Vib* 1982;81:123-38.
25. Hong J, Kim J, Kim K, Cho Y, Lee S. Quantitative model of combined annoyance caused by simultaneous exposure to outdoor traffic sounds. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 727-33. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
26. Marquis-Favre C, Alayrac M, Viollon S. The adapted Vos's model to predict total noise annoyance due to an industrial noise with a main spectral component in middle frequencies combined with a background noise. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. P. 869-77. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
27. Vos J. Annoyance caused by simultaneous impulse, road-traffic, and aircraft sounds: A quantitative model. *J Acoust Soc Am* 1992;91:3330-45.
28. Miedema HME. Relationship between exposure to multiple noise sources and noise annoyance. *J Acoust Soc Am* 2004;116:949-57.
29. Huy QN, Nguyen TL, Yano T, Nishimura Y, Nishimura S, Sato T, *et al.* Comparing models to predict the combined noise annoyance in Ho Chi Minh City and Hanoi. London, UK: Proc. of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. P. 767-74. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
30. Ohrstrom E, Skanberg A, Svensson H, Gidlof-Gunnarsson A. Effects of road traffic noise and the benefit of access to quietness. *J Sound Vib* 2006;295:40-59.
31. Gidlöf-Gunnarsson A, Ohrström E. Attractive "quiet" courtyards: A potential modifier of urban residents' responses to road traffic noise? *Int J Environ Res Public Health* 2010;7:3359-75.
32. de Kluizenaar Y, Salomons EM, Janssen SA, van Lenthe FJ, Vos H, Zhou H, *et al.* Urban road traffic noise and annoyance: The effect of a quiet façade. *J Acoust Soc Am* 2011;130:1936-42.
33. Yang W, Kang J. Acoustic comfort evaluation in urban open public spaces. *Appl Acoust* 2005;66:211-29.
34. Jeon JY, Lee PJ, You J, Kang J. Perceptual assessment of quality of urban soundscapes with combined noise sources and water sounds. *J Acoust Soc Am* 2010;127:1357-66.
35. Jeon JY, Lee PJ. Evaluation of urban space as a concept of soundscape. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 743-51. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
36. Curcuruto S, Asdrubali F, Brambilla G, Silvaggio R, d'Alessandro F, Gallo V. Socio-acoustic survey and soundscape analysis in urban parks in Rome. London, UK: Proceedings of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 830-7. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].
37. Pedersen E, van den Berg F, Bakker R, Bouma J. Response to noise from modern wind farms in The Netherlands. *J Acoust Soc Am* 2009;126:634-43.
38. Janssen SA, Vos H, Eisses AR, Pedersen E. A comparison between exposure-response relationships for wind turbine annoyance and annoyance due to other noise sources. *J Acoust Soc Am* 2011;130:3746-53.
39. Brown AL, van Kamp I. Response to a change in transport noise exposure: A review of evidence of a change effect. *J Acoust Soc Am* 2009;125:3018-29.
40. Laszlo HE, Hansell A. The types of human response to change in noise exposure. London, UK: Proc. of the 10<sup>th</sup> International Congress on Noise as a Public Health Problem (ICBEN 2011); 2011. p. 695-701. Available from: <http://www.icben.org/Congresses.html>. [Last accessed on 2011].

**How to cite this article:** Yano T, Gjestland T, Lee S. Community response to noise. *Noise Health* 2012;14:303-6.

**Source of Support:** Nil, **Conflict of Interest:** None declared.

## Staying in touch with the journal

### 1) Table of Contents (TOC) email alert

Receive an email alert containing the TOC when a new complete issue of the journal is made available online. To register for TOC alerts go to [www.noiseandhealth.org/signup.asp](http://www.noiseandhealth.org/signup.asp).

### 2) RSS feeds

Really Simple Syndication (RSS) helps you to get alerts on new publication right on your desktop without going to the journal's website. You need a software (e.g. RSSReader, Feed Demon, FeedReader, My Yahoo!, NewsGator and NewzCrawler) to get advantage of this tool. RSS feeds can also be read through FireFox or Microsoft Outlook 2007. Once any of these small (and mostly free) software is installed, add [www.noiseandhealth.org/rssfeed.asp](http://www.noiseandhealth.org/rssfeed.asp) as one of the feeds.